



产品介绍

祥云3.0全新上线

TGJC1小型 电磁继电器

精美可靠

Two black rectangular relays are shown side-by-side. The left one is labeled 'TENGEN TGJC1-52Z(D)' and has a technical diagram with a coil labeled '5A 220VAC 28VDC RES.' and contacts labeled 1-14. The right one is labeled 'TENGEN TGJC1-53Z' and has a technical diagram with a coil labeled '5A 220VAC 28VDC RES.' and contacts labeled 1-11. Both relays have '220V AC' and a CQC logo at the bottom.

产品特点

高接触可靠性

可用于 PLC 控制

Can be used in the PLC control





正品保障



可视化指示灯

电压齐全

交流 直流
控制回路更多选择



底座丰富

FJC1 FJC2
两种底座可供选择





TENGEN
TGJC1-53Z

5A 220VAC
26VDC
RES.

1 2 3
4 5 6
7 8 9
10(-) (+)11

220V
AC

CQC

安装方式

螺钉型接线端子
(装置式、导轨式) PCB 式

规格齐全

满足不同需求
2Z 3Z 4Z 三种触点形式

@技术参数


名 称	TGJC1 小型电磁继电器
触 点 形 式	52Z(5A) 53Z(5A) 54Z(3A) 62Z(10A)
插座引线形式	螺钉型接线端子 (装置式、导轨式) PCB 式
线圈电压类型	交流 直流

@产品细节



@产品尺寸

外形及安装尺寸



@产品应用



C1

工业范围

厂房配电系统
动力配电系统

02

商业范围

照明配电系统
空调配电系统

